

Printing date 08/23/2018 Reviewed on 08/23/2018

1 Identification

· Product identifier

· Trade name: E-CURE 130 LV

· Article number: RF01

· Application of the substance / the mixture Coating

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Printers' Service

1337 N. Woodbranch Drive

Charlotte, N.C., 28273

- · Information department: 1-973-589-7800, Prisco email address safety@prisco.com
- · Emergency telephone number: CHEMTREC (24 hr) 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

· Signal word Warning

· Hazard-determining components of labeling:

acrylic ester monomer (TSRN7002)

triethanolamine

benzophenone

4-methoxyphenol

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

(Contd. of page 1)

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

acrylic ester monomer (TSRN7002)20-40%acrylate monomer (TSRN7001)10-30%triethanolamine5-20%benzophenone≤5%

RTECS: DI 9950000

CAS: 102-71-6

CAS: 119-61-9

(Contd. on page 3)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

(Contd. of page 2)

CAS: 111-42-2 diethanolamine

≤5%

RTECS: KL 2975000

CAS: 150-76-5 4-methoxyphenol

≤0.25%

RTECS: SL 7700000

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) and place into removal containers

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · *PAC-1*:

All ingredients are listed.

· PAC-2:

All ingredients are listed.

· PAC-3:

All ingredients are listed.

USA

(Contd. on page 4)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

acrylated polyol (TSRN7004)

WEEL Long-term value: 1 mg/m³

DSEN

102-71-6 triethanolamine

TLV Long-term value: 5 mg/m³

119-61-9 benzophenone

WEEL Long-term value: 0.5 mg/m^3

111-42-2 diethanolamine

REL Long-term value: 15 mg/m³, 3 ppm

TLV Long-term value: 1* mg/m³, 0.2* ppm
Skin; *inhalable fraction and vapor

150-76-5 4-methoxyphenol

REL Long-term value: 5 mg/m³ TLV Long-term value: 5 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Suitable respiratory protective device recommended, but not necessary if room is well-ventilated.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

To find the recommended glove material to use when handing Prisco® pressroom chemistry we advise to visit www.prisco.com. Choose location & preferred language and go to the "Support" drop-down box where you

(Contd. on page 5)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

(Contd. of page 4)

select: "Safety Glove Recommendation". Now click on the PDF-hyperlink to obtain the document in the language of your preference.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Color: According to product specification

Odor: Characteristic
 Odor threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Melting point/Melting range:Not ApplicableBoiling point/Boiling range:100 °C (212 °F)Flash point:>100 °C (>212 °F)

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not determined.

Decomposition temperature: Not information available
 Auto igniting: Product is not selfigniting.

• Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

Vapor pressure: Not determined.

• Density at 20 °C (68 °F): 1.05 g/cm³ (8.76 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not determined.

(Contd. on page 6)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

No further relevant information available.

· Other information \cdot VOC No VOC generated during curing. (Contd. of page 5)

10 Stability and reactivity

- · Reactivity Avoid strong oxidizing agents, strong bases and strong acids.
- · Chemical stability Stable under normal conditions
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

acrylic ester monomer (TSRN7002)

LD50 7,000 mg/kg (rat)

 $Dermal\ LD50 > 2,000\ mg/kg\ (rabbit)$

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Product may cause irritation.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

119-61-9 benzophenone: 2B

111-42-2 diethanolamine: 2B

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: H411: Toxic to aquatic life with long-lasting effects.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 7)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

(Contd. of page 6)

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Product must not be disposed of together with household refuse. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

 \cdot **DOT**, \overline{ADN} Non regulated

· UN proper shipping name

 \cdot **DOT**, **ADR**, **ADN** Non regulated

· Transport hazard class(es)

· DOT, ADR, ADN

· Class Non regulated

· Packing group

DOT, ADR
 Environmental hazards:
 Special precautions for user
 Not applicable.
 Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code
• UN "Model Regulation":

Not applicable.

Non regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

108-95-2 phenol

· Section 313 (Specific toxic chemical listings):

111-42-2 diethanolamine

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· TSCA new (21st Century Act) (Substances not listed)

acrylic ester monomer (TSRN7002)

acrylate monomer (TSRN7001)

- \cdot THE SECTION BELOW IS APPLICABLE ONLY TO THE END-USERS LOCATED IN CALIFORNIA
- · California Proposition 65 chemicals known to cause cancer:

119-61-9 benzophenone

111-42-2 diethanolamine

· California Proposition 65 chemicals known to cause reproductive toxicity for females:

None

· California Proposition 65 chemicals known to cause reproductive toxicity for males:

None

· California Proposition 65 chemicals known to cause developmental toxicity:

108-88-3 toluene

(Contd. on page 8)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

(Contd. of page 7)

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07 GHS0

- · Signal word Warning
- · Hazard-determining components of labeling:

acrylic ester monomer (TSRN7002)

triethanolamine

benzophenone

4-methoxyphenol

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Printing date 08/23/2018 Reviewed on 08/23/2018

Trade name: E-CURE 130 LV

(Contd. of page 8)

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS:
- · Contact: CHEMTREC (24hr) 1-800-424-9300, Printers Service 1-973-589-7800
- · Date of preparation / last revision 08/23/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.

USA -