

Printing date 04/19/2017 Reviewed on 04/19/2017

1 Identification

· Product identifier

· Trade name: AQUEOUS COATING Q1007C

· Article number: RS98

- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Printers' Service

1337 N. Woodbranch Drive

Charlotte, N.C., 28273

- · Information department: 1-973-589-7800, Prisco email address safety@prisco.com
- · Emergency telephone number: CHEMTREC (24 hr) 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

ingredient (TSRN6015)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2017 Reviewed on 04/19/2017

### Trade name: AQUEOUS COATING Q1007C

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

Dangerous compon	ienis.	
CAS: 25987-66-0	styrene acrylic copolymer	40 - 50%
	ingredient (TSRN6015)	2.5 - 5%
CAS: 770-35-4	1-Phenoxypropan-2-ol	≤ 2.5%
CAS: 57-13-6 RTECS: YR 625000	urea 00	≤ 2.5%
CAS: 67-63-0 RTECS: NT 805000	propan-2-ol 00	≤ 2.5%
CAS: 1314-13-2 RTECS: ZH 481000	zinc oxide 00	≤ 2.5%
CAS: 57-55-6 RTECS: TY 200000	propylene glycol 00	≤ 2.5%
Additional informa	tion: For the wording of the listed hazard phrases refer to section 16.	

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

*No further relevant information available.* 

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

Printing date 04/19/2017 Reviewed on 04/19/2017

Trade name: AQUEOUS COATING Q1007C

(Contd. of page 2)

• Environmental precautions: Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) and place into removal containers

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· **PAC-1**:

All ingredients are listed.

· PAC-2:

All ingredients are listed.

· *PAC-3*:

All ingredients are listed.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

57-13-6 urea

WEEL Long-term value: 10 mg/m<sup>3</sup>

67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm

BEI

57-55-6 propylene glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

(Contd. on page 4)

Printing date 04/19/2017 Reviewed on 04/19/2017

Trade name: AQUEOUS COATING Q1007C

· Ingredients with biological limit values:

(Contd. of page 3)

### 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Suitable respiratory protective device recommended, but not necessary if room is well-ventilated.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

To find the recommended glove material to use when handing Prisco® pressroom chemistry we advise to visit www.prisco.com. Choose location & preferred language and go to the "Support" drop-down box where you select: "Safety Glove Recommendation". Now click on the PDF-hyperlink to obtain the document in the language of your preference.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Whitish
Odor:
Characteristic
Not determined.

pH-value:
Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

Not Applicable
100 °C (212 °F)

> Flash point:
>100 °C (>212 °F)

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 5)

Printing date 04/19/2017 Reviewed on 04/19/2017

Trade name: AQUEOUS COATING Q1007C

(Contd. of page 4)

· Ignition temperature:

Decomposition temperature: Not information available

· Auto igniting: Product is not selfigniting.

· Danger of explosion: No information available

In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

• Vapor pressure at 20 °C (68 °F): 23.4 hPa (18 mm Hg) • Density at 20 °C (68 °F): 1.05 g/cm³ (8.762 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Partly miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

**VOC content** 33.6 g/l / 0.28 lb/gl

· Other information No further relevant information available.

### 10 Stability and reactivity

- · Reactivity Avoid strong oxidizing agents, strong bases and strong acids.
- · Chemical stability Stable under normal conditions
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### 1314-13-2 zinc oxide

Oral LD50 7950 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

- USA

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2017 Reviewed on 04/19/2017

Trade name: AQUEOUS COATING Q1007C

Product may cause irritation.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

H402: Harmful to aquatic life.

H412: Harmful to aquatic life with long-lasting effects.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Product must not be disposed of together with household refuse. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

 $\cdot$  DOT, ADN Non regulated

· UN proper shipping name

· DOT, ADR, ADN Non regulated

· Transport hazard class(es)

· DOT, ADR, ADN

· Class Non regulated

· Packing group

 $\cdot$  DOT, ADR Non regulated · Environmental hazards: Not applicable. Not applicable. · Special precautions for user

· Transport in bulk according to Annex II of

Not applicable. MARPOL73/78 and the IBC Code · UN "Model Regulation": Non regulated

Printing date 04/19/2017 Reviewed on 04/19/2017

Trade name: AQUEOUS COATING Q1007C

(Contd. of page 6)

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

1336-21-6 ammonia

1314-13-2 zinc oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · California Proposition 65 Statements

Warning: This product contains a chemical known to the State of California to cause cancer.

Warning: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

· Chemicals known to cause cancer:

100-42-5 styrene

98-83-9 2-phenylpropene

100-41-4 ethylbenzene

71-43-2 benzene

· Chemicals known to cause reproductive toxicity for females:

None

· Chemicals known to cause reproductive toxicity for males:

71-43-2 benzene

· Chemicals known to cause developmental toxicity:

71-43-2 benzene

108-88-3 toluene

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

*ingredient (TSRN6015)* 

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 8)

Printing date 04/19/2017 Reviewed on 04/19/2017

### Trade name: AQUEOUS COATING Q1007C

(Contd. of page 7)

#### · Precautionary statements

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS:
- · Contact: CHEMTREC (24hr) 1-800-424-9300, Printers Service 1-973-589-7800
- · Date of preparation / last revision 04/19/2017 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$ 

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

\* Data compared to the previous version altered.

USA