

Printing date 08/10/2017 Reviewed on 08/10/2017

1 Identification

· Product identifier

· Trade name: QUESTAR CTP 350

· Article number: HG61

- · Application of the substance / the mixture Wetting Agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Printers' Service, Inc. 26 Blanchard Street Newark, NJ 07105

USA

- · Information department: 1-973-589-7800, Prisco email address safety@prisco.com
- · Emergency telephone number: CHEMTREC (24 hr) 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

ingredient (TSRN3456)

5-chloro-2-methyl-2H-isothiazol-3-one

dicarboxylic acid (TSRN3305)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 111-76-2 RTECS: KJ 857500	2-butoxyethanol	10 - 20%
CAS: 57-55-6 RTECS: TY 200000	propylene glycol O	10 - 20%
	ingredient (TSRN3456)	≤ 2.5%
	dicarboxylic acid (TSRN3305)	≤ 2.5%
CAS: 1310-73-2	sodium hydroxide	≤ 2.5%
CAS: 64-19-7 RTECS: AF 122500	acetic acid 00	≤ 2.5%
CAS: 26172-55-4 · Additional informa	5-chloro-2-methyl-2H-isothiazol-3-one tion: For the wording of the listed hazard phrases refer to section 16.	≤ 2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

JSA ·

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) and place into removal containers

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1:

All ingredients are listed.

· PAC-2:

All ingredients are listed.

· PAC-3:

All ingredients are listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

111-76-2 2-butoxyethanol

PEL Long-term value: 240 mg/m³, 50 ppm

Skin

(Contd. on page 4)

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

(Contd. of page 3)

REL Long-term value: 24 mg/m³, 5 ppm

Skin

TLV Long-term value: 97 mg/m³, 20 ppm

BEI

57-55-6 propylene glycol

WEEL Long-term value: 10 mg/m³

1310-73-2 sodium hydroxide

PEL Long-term value: 2 mg/m³
REL Ceiling limit value: 2 mg/m³
TLV Ceiling limit value: 2 mg/m³

64-19-7 acetic acid

PEL Long-term value: 25 mg/m³, 10 ppm
REL Short-term value: 37 mg/m³, 15 ppm
Long-term value: 25 mg/m³, 10 ppm
TLV Short-term value: 37 mg/m³, 15 ppm
Long-term value: 25 mg/m³, 10 ppm

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine Medium: urine

Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Suitable respiratory protective device recommended, but not necessary if room is well-ventilated.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

To find the recommended glove material to use when handing Prisco® pressroom chemistry we advise to visit www.prisco.com. Choose location & preferred language and go to the "Support" drop-down box where you select: "Safety Glove Recommendation". Now click on the PDF-hyperlink to obtain the document in the language of your preference.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid Color: Green

Odor: CharacteristicOdor threshold: Not determined.

• pH-value at 20 °C (68 °F): 5.05

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

Flash point:

Not Applicable
100 °C (212 °F)

Not applicable.

Not applicable.

Not applicable.

240 °C (464 °F)

Decomposition temperature: Not information available
 Auto igniting: Product is not selfigniting.

• Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

 Lower:
 1.1 Vol %

 Upper:
 12.6 Vol %

• Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

• Density at 20 °C (68 °F): 1.017 g/cm³ (8.487 lbs/gal)

Relative density
Vapor density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Fully Miscible

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC content 330.8 g/l / 2.76 lb/gl

• Other information No further relevant information available.

10 Stability and reactivity

· Reactivity Avoid strong oxidizing agents, strong bases and strong acids.

· Chemical stability Stable under normal conditions

(Contd. on page 6)

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

(Contd. of page 5)

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

111-76-2 2-butoxyethanol

Oral LD50 1480 mg/kg (rat)

Dermal LD50 400 mg/kg (rab)

57-55-6 propylene glycol

Oral LD50 21000 mg/kg (rat)

Dermal LD50 20800 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Product may cause irritation.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- $\cdot \textbf{\textit{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

USA

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Product must not be disposed of together with household refuse. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

 \cdot **DOT**, \overrightarrow{ADN} Non regulated

· UN proper shipping name

· DOT, ADR, ADN Non regulated

· Transport hazard class(es)

· DOT, ADR, ADN

· Class Non regulated

· Packing group

DOT, ADR
 Environmental hazards:
 Special precautions for user
 Not applicable.
 Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code
• UN "Model Regulation":

Not applicable.

Non regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

75-21-8 ethylene oxide

75-56-9 propylene oxide

· Section 313 (Specific toxic chemical listings):

111-76-2 2-butoxyethanol

nitrate solution (TSRN3342)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · California Proposition 65 Statements

Warning: This product contains a chemical known to the State of California to cause cancer.

Warning: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

· Chemicals known to cause cancer:

75-21-8 ethylene oxide

75-07-0 acetaldehyde

75-56-9 propylene oxide

123-91-1 1,4-dioxane

Chemicals known to cause reproductive toxicity for females:

75-21-8 ethylene oxide

· Chemicals known to cause reproductive toxicity for males:

75-21-8 ethylene oxide

(Contd. on page 8)

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

· Chemicals known to cause developmental toxicity:

(Contd. of page 7)

75-21-8 ethylene oxide

107-21-1 ethylene glycol

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

ingredient (TSRN3456)

5-chloro-2-methyl-2H-isothiazol-3-one

dicarboxylic acid (TSRN3305)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: CHEMTREC (24hr) 1-800-424-9300, Printers Service 1-973-589-7800
- · Date of preparation / last revision 08/10/2017 / -

(Contd. on page 9)

Printing date 08/10/2017 Reviewed on 08/10/2017

Trade name: QUESTAR CTP 350

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

* * Data compared to the previous version altered.

- USA