HP Universal Heavyweight Coated Paper, 3-in Core




This product is only compatible with HP Latex Printers



The HP large format printing system—the complete solution

HP Designjet, HP Latex, and HP Scitex Printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



Achieve economical, heavyweight everyday printing

Accomplish more with consistent results every time

From working comps and design proofs to POP signage and special event posters, see high-quality, consistent image quality print to print and roll to roll.

Make the economical choice for everyday prints

Meet your everyday printing needs and enjoy consistent, high-quality results with this economical heavyweight matte coated paper.

Add flexibility —this paper is FSC®-certified

Use this high-quality printing material across a broad range of HP Latex printers. And get added flexibility with this recyclable, FSC®-certified paper that supports the development of responsible forest management worldwide

Target customers	Applications	Benefits	
Architects	Posters and presentations Consistent, high-quality results		
Engineers	POP and retail displays	Cost-effective for everyday use	
Geographic Information Systems (GIS) professionals	Geographic Information Systems (GIS)	Recyclable through commonly available programs	
Graphic designers	Architecture (AEC) and engineering (MCAD)	FSC®-certified paper	
Print service providers			

Technical specifications



HP Universal Heavyweight Coated Paper, 3-in Core

For the latest ICC profiles/paper presets, please visit globalBMG.com/hp/paperpresets.

Weight	125 g/m² per ISO 536 Test Method, (32 lbs)					
Thickness	165 microns/6.5 mil per ISO 534 Test Method					
Opacity	Greater than 90% per TAPPI T-425 Test Method					
Brightness	Greater than 95% per TAPPI T-452 Test Method					
Whiteness	130 per CIE Ganz 82 Test Method					
Finish	Matte					
Operating temperature	15 to 30° C / 59 to 86° F					
Operating humidity	30 to 70% RH					
Dry time	Immediate (at 23° C, 50% RH)					
Shelf life	2 years, unopened in original packaging					
Storage temperature	5 to 40° C / 41 to 104° F					
Storage humidity	10 to 80% RH					
Recyclability	Recyclable through commonly available recycling programs					
Country of origin	Product of France					
Ordering information	Product numbers	Roll sizes	UPC codes	Region		
	D9R44A	914 mm x 61 m (36 in x 200 ft)	848412009941	North America, Europe, Asia		
	D9R45A	1067 mm x 61 m (42 in x 200 ft)	848412009958	North America, Europe, Asia		
	D9R46A	1372 mm x 61 m (54 in x 200 ft)	848412009965	North America, Europe, Asia		
	D9R47A	1524 mm x 61 m (60 in x 200 ft)	848412009972	North America, Europe, Asia		
Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty staplease see globalBMG.com/hp/mediawarranties.					





Note: Not all FSC®-certified products are available in all regions. © 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. 5AA2-2473ENW, May 2013 - PD

905-953-9393

FAX: 905-953-1331

For information about HP Sign and Display Printing Materials for HP Latex and UV printers, please visit globalBMG.com/hp/signagemedia

Distributed by:



ATLANTA 800-241-6049 678-602-4140 FAX: 678-602-4139

800-432-5068 954-971-0436 FAX: 954-971-9218 BOSTON 781-749-4590 FAX: 781-740-2866

NEW YORK/NEWARK 973-589-7800 212-962-6565 FAX: 973-589-3225

CHICAGO 800-654-1357 630-543-4600 FAX: 630-543-0856

856-662-3373

215-462-3636 FAX: 856-486-4552

817-477-4770 FAX: 817-473-4515 PHILADELPHIA TORONTO 888-460-4406 800-222-0146

DALLAS LOS ANGELES 800-338-2241 800-825-4846 909-923-1879 FAX: 909-923-4079