


The HP large format printing system—the complete solution

HP Latex printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



BMG trademark license code FSC®-C115319, see <u>fsc.org</u>. HP trademark license code FSC®-C017543, see <u>fsc.org</u>. Not all FSC®-certified products are available in all regions.

Experience outstanding, heavyweight, resin-coated photo paper for photographic printing

Enjoy high-performance photo printing

Now you can print high-end photography, posters, and retail graphics for either custom or high-volume projects with your HP Latex printer on this versatile resin-coated photo paper.

Move quickly and efficiently through production

There's no need to wait; print and deliver to provide quick turnarounds for your customers. This heavyweight photo paper (275 g/m 2) also provides increased stability for handling high-volume production.

Achieve spot-on, dynamic color

The bright-white finish provides a high dynamic range and a wide color gamut for color-critical, eye-catching reproductions on a satin finish.

Target customers	Applications	Benefits		
rai yet customers	Applications	Delients		
Point-of-purchase providers	Photo enlargements	Prints come out completely dry, enabling production printing		
Trade show and exhibit companies	Art and décor reproductions	Heavy, thick construction for easy handling		
Photo and art reproduction houses	Point-of-purchase displays	Wide color gamut and bright-white surface		
	Trade show and event displays	FSC®-certified paper¹		

Technical specifications



HP Professional Satin Photo Paper

For the latest ICC profiles/paper presets and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit **globalBMG.com/hp**.

Weight	275 g/m² per ISO 536 Test Method				
Thickness	248 microns/9.8 mil per ISO 534 Test Method				
Opacity	Greater than 96% per TAPPI T-425 Test Method				
Brightness	96% per TAPPI T-452 Test Method				
Whiteness	130 per ISO 11475 Test Method				
Finish	Satin				
Operating temperature	15 to 35° C / 59 to 95° F				
Operating humidity	30 to 80% RH				
Dry time	Instant dry				
Lamination	Yes, cold				
Shelf life	1 year, unopened in original packaging				
Storage temperature	0 to 40° C / 32 to 104° F				
Storage humidity	5 to 95% RH				
Country of origin	Product of Germany	Product of Germany Region			
Ordering information	Product numbers	Roll sizes	UPC codes		
	E4J46A	914 mm x 30,5 m (36 in x 100 ft)	848412014501	Worldwide	
	E4J47A	1067 mm x 30,5 m (42 in x 100 ft)	848412014518	Worldwide	
	E4J48A	1372 mm x 30,5 m (54 in x 100 ft)	848412014525	Worldwide	
	E4J49A	1524 mm x 30,5 m (60 in x 100 ft)	848412014532	Worldwide	
Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see globalBMG.com/hp/mediawarranties.				



© 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. September 2014 - PD

For detailed information on the HP large format printing materials portfolio and to order, see globalBMG.com/hp

Distributed by:



ATLANTA 800-241-6049 678-602-4140 FAX: 678-602-4139

MIAMI 800-432-5068 954-971-0436 FAX: 954-971-9218 **BOSTON** 781-749-4590 FAX: 781-740-2866

NEW YORK/NEWARK 973-589-7800 212-962-6565 FAX: 973-589-3225 **CHICAGO** 800-654-1357 630-543-4600 FAX: 630-543-0856

PHILADELPHIA 800-222-0146 856-662-3373 215-462-3636 FAX: 856-486-4552
 DALLAS
 LOS ANGELES

 800-338-2241
 800-825-4846

 817-477-4770
 909-923-1879

 FAX: 817-473-4515
 FAX: 909-923-4079

TORONTO 888-460-4406 905-953-9393 FAX: 905-953:1331