



## PRISCO® ASC-D

### Product Description:

PRISCO ASC-D is a unique blend of organic polymers used to provide anti-static properties in a variety of applications such as Printing applications, Textiles, Web applications, Heat set printing mills, and Printing and foundry release applications.

### Typical Properties:

- Actives 8%
- Emulsifier nonionic
- Color blue liquid

### Advantages:

- Chemically inert
- Eliminates marking and static buildup
- Excellent freeze-thaw stability
- Easily dispersed in water with minimal agitation
- Improved deposition

### Directions:

PRISCO ASC-D can be used as is or diluted with water. To dilute, add water with light mixing until solution is homogenous.

### Storage and Shelf Life:

This product is stable for 12 months from the original production date when stored in the original unopened container and below 40 °C.

### Product Code:

**READ SDS BEFORE USING THIS PRODUCT**

C708

### Packaging:

5-Gallon (19 Liters), 55-Gallon (208 Liters), and 275-Gallon IBC (1040 liters)

Limited Warranty — The information presented in this document is accurate to the best of our knowledge, however no warranty is expressed or implied other than the quality of the product as described. No recommendation to infringe upon any patented or proprietary procedures is intended. Each user of Prisco products should review this information and these recommendations to determine their relevance and applicability in the specific context in which the products are to be used.

1805

**Atlanta**  
Support: 678-601-4140  
Orders: 800-241-6049

**Boston**  
781-749-4590  
800-222-0146

**Chicago**  
630-543-4600  
800-241-6049

**Dallas**  
817-477-4770  
800-241-6049

**Los Angeles**  
909-923-1879  
800-825-4846

**Miami**  
954-971-0436  
800-241-6049

**Newark**  
Support: 973-589-7800  
Orders: 800-222-0146

**Philadelphia**  
856-662-3373  
800-222-0146

**Belgium**  
+32 56 40 41 82

**United Kingdom**  
+32 56 40 41 82

**Toronto**  
905-953-9393  
888-460-4406

**Australia**  
61 2 4702 1211